

Sisk, Richard

From: Richard Sisk <Sisk.Richard@epamail.epa.gov>
Sent: Monday, September 22, 2014 12:37 PM
To: Sisk, Richard
Subject: Fw: VB/I-70 Information

Richard Sisk
Attorney
U.S. EPA Region 8
ENF-L
1595 Wynkoop
Denver, CO 80202-1129

Phone: 303-312-6638
Fax: 303-312-6409
E-mail: sisk.richard@epa.gov

NOTICE: The information contained in this e-mail is intended only for the use of the recipient(s) named above. This message and any attachments may contain confidential or privileged information. If the reader is not the intended recipient or an agent responsible for delivering it to the intended recipient, you have received this document in error and any review, dissemination, disclosure, distribution, use, or copying of the contents of this message is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail or telephone and destroy all copies of the original message and any attachments.

----- Forwarded by Richard Sisk/R8/USEPA/US on 09/22/2014 12:36 PM -----

From: Paula Schmittiel/R8/USEPA/US
To: Jim Martin/R8/USEPA/US@EPA
Cc: Martin Hestmark/R8/USEPA/US@EPA, "Bill Murray" <murray.bill@epa.gov>, "Steve Wharton" <wharton.steve@epa.gov>, "Jennifer Chergo" <chergo.jennifer@epa.gov>, Richard Sisk/R8/USEPA/US@EPA, "John Works" <works.john@epa.gov>, Andrea Madigan/R8/USEPA/US@EPA, Kelcey Land/R8/USEPA/US@EPA
Date: 02/05/2013 03:05 PM
Subject: VB/I-70 Information

Jim - Bill Murray wanted me to clarify the acronyms I used in my e-mail that I sent earlier this PM.

TCRA = Time Critical Removal Action
NTCRA = Non-Time Critical Removal Action

Both of these actions are taken by Emergency Response to address more critical situations than a Remedial Action.

Jim - Here is the information as requested.

Action Level:

- Arsenic - 70 ppm
- Lead - 400 ppm

Number of Properties:

- 4470 homes sampled; only approx. 819 properties were above either action level
- Of 819 properties above action levels that were cleaned up:

- 67 properties had lead > 2000 ppm or arsenic > 450 ppm (TCRA)
- 143 properties had lead >540 ppm or arsenic > 240 ppm (NTCRA)
-
- Because the spatial pattern of lead and arsenic contamination is variable throughout the Site, it was not possible to assess if a specific property requires a soil removal without data from that property.
- All properties cleaned up were at no cost to the property owners

Please let me know if you need anything else. Thank you.

Paula Schmittziel
Remedial Project Manager
U.S. Environmental Protection Agency
1595 Wynkoop St.
Denver, Co 80202
303-312-6861 (office)
303-312-7151 (fax)
720-951-0795 (cell)